

BERRY  ALLOC®

VINYL PLANKS



PURE GLUEDOWN 55

Dryback Design Flooring - Lames vinyle à coller - Designboden zum kleben - Te verlijmen vinylplanken



WWW.BERRYALLOC.COM

WHY CHOOSE PURE ?

XXL sizes



Our floors come in extra big sizes

The size of a plank or a tile visually impacts the spatial perception of a room. PURE collection is available not only in the usual standard dimensions, but also in XXL sizes.

100% waterproof



Ideal for bathrooms and kitchens


A floor that can stand up to wet and dirty shoes or children who turn your bathroom into a swimming pool? PURE floor boards are fully waterproof, from top to bottom. All our floors are hygienic, easy to clean and stainresistant thanks to the polyurethane lacquer.

PURE comfort



Warm touch

PURE vinyl floors stand for comfort in its purest form. They really reach out to all your senses, feel warm to the touch and cosy to the feet. The vinyl floors have a good heat conduction, which make them an ideal match with floor heating.




- 1
- 2
- 3
- 4

	EN	DE	FR	NL
1	Protective PU lacquer	PU-Schutzlackschicht	Laque de protection PU	Beschermende PU-lak
2	Wear layer (0,55 mm)	Nutzschicht (0,55 mm)	Couche d'usure (0,55mm)	Slijtagelaag (0,55mm)
3	Acoustic vinyl decor layer with fiberglass	Akustische Vinyloberschicht (mit Glasfaser)	Couche acoustique en vinyle (avec Fibre de verre)	Geluiddepende vinyltoplaag (met glasvezel)
4	Backing layer	Trägerschicht	Couche de support	Dragerlaag



PURE WOOD



TOULON OAK/CHÊNE/EICHE / EIK 109S

■ 55 GlueDown Standard - 60000614

■ 55 GlueDown XXL - 60000641



TOULON OAK/CHÊNE/EICHE / EIK 976M

■ 55 GlueDown Standard - 60000619



TOULON OAK/CHÊNE/EICHE / EIK 999D

■ 55 GlueDown Standard - 60000620



TOULON OAK/CHÊNE/EICHE / EIK 293M

■ 55 GlueDown Standard - 60000616

■ 55 GlueDown XXL - 60000642



TOULON OAK/CHÊNE/EICHE / EIK 236L

■ 55 GlueDown Standard - 60000615



TOULON OAK/CHÊNE/EICHE / EIK 619L

■ 55 GlueDown Standard - 60000617

■ 55 GlueDown XXL - 60000643



TOULON OAK/CHÊNE/EICHE / EIK 936L

■ 55 GlueDown Standard - 60000618

■ 55 GlueDown XXL - 60000644



LIME OAK/CHÊNE/EICHE / EIK 623M

■ 55 GlueDown Standard - 60000604



LIME OAK/CHÊNE/EICHE / EIK 939S

■ 55 GlueDown Standard - 60000607



LIME OAK/CHÊNE/EICHE / EIK 979M

■ 55 GlueDown Standard - 60000612

■ 55 GlueDown XXL - 60000640



LIME OAK/CHÊNE/EICHE / EIK 996D

■ 55 GlueDown Standard - 60000613



LIME OAK/CHÊNE/EICHE / EIK 966D

■ 55 GlueDown Standard - 60000610



LIME OAK/CHÊNE/EICHE / EIK 954D

■ 55 GlueDown Standard - 60000608

■ 55 GlueDown XXL - 60000638




LIME OAK/CHÊNE/EICHE / EIK 139S

■ 55 GlueDown Standard - 60000603

■ 55 GlueDown XXL - 60000637

PURE WOOD



LIME OAK/CHÊNE/EICHE / EIK 963M

■ 55 GlueDown Standard - 60000609

■ 55 GlueDown XXL - 60000639



LIME OAK/CHÊNE/EICHE / EIK 669M

■ 55 GlueDown Standard - 60000605



LIME OAK/CHÊNE/EICHE / EIK 693M

■ 55 GlueDown Standard - 60000606



LIME OAK/CHÊNE/EICHE / EIK 974D

■ 55 GlueDown Standard - 60000611



COLUMBIAN OAK/CHÊNE/EICHE / EIK 236L

■ 55 GlueDown Standard - 60000594



COLUMBIAN OAK/CHÊNE/EICHE / EIK 226M

■ 55 GlueDown Standard - 60000593



COLUMBIAN OAK/CHÊNE/EICHE / EIK 946M

■ 55 GlueDown Standard - 60000601

■ 55 GlueDown XXL - 60000635



COLUMBIAN OAK/CHÊNE/EICHE 636M

■ 55 GlueDown Standard - 60000597

■ 55 GlueDown XXL - 60000633



COLUMBIAN OAK/CHÊNE/EICHE / EIK 663D

■ 55 GlueDown Standard - 60000598



COLUMBIAN OAK/CHÊNE/EICHE / EIK 261L

■ 55 GlueDown Standard - 60000595



COLUMBIAN OAK/CHÊNE/EICHE / EIK 693M

■ 55 GlueDown Standard - 60000599

■ 55 GlueDown XXL - 60000634



COLUMBIAN OAK/CHÊNE/EICHE / EIK 296L

■ 55 GlueDown Standard - 60000596



COLUMBIAN OAK/CHÊNE/EICHE / EIK 939M

■ 55 GlueDown Standard - 60000600



COLUMBIAN OAK/CHÊNE/EICHE / EIK 996E

■ 55 GlueDown Standard - 60000602

■ 55 GlueDown XXL - 60000636

PURE STONE



DISA 101S

- 55 GlueDown 650 x 650 - 60000660
- 55 GlueDown 650 x 325 - 60000645



DISA 644M

- 55 GlueDown 650 x 650 - 60000661
- 55 GlueDown 650 x 325 - 60000646



DISA 979M

- 55 GlueDown 650 x 650 - 60000663
- 55 GlueDown 650 x 325 - 60000648



DISA 797M

- 55 GlueDown 650 x 650 - 60000662
- 55 GlueDown 650 x 325 - 60000647



DISA 996D

- 55 GlueDown 650 x 650 - 60000664
- 55 GlueDown 650 x 325 - 60000649



ZINC 616M

- 55 GlueDown 650 x 650 - 60000672
- 55 GlueDown 650 x 325 - 60000657



ZINC 679M

- 55 GlueDown 650 x 650 - 60000673
- 55 GlueDown 650 x 325 - 60000658



ZINC 373D


- 55 GlueDown 650 x 650 - 60000671
- 55 GlueDown 650 x 325 - 60000656



ZINC 907D


- 55 GlueDown 650 x 650 - 60000674
- 55 GlueDown 650 x 325 - 60000659

PURE STONE ORDERFORM

STONE DECORS		GlueDown 		ACCESSORIES		
Collection:		PURE GlueDown 55	PURE GlueDown 55	60 mm skirting waterresistant	MDF 60 mm skirting	3-in-1 MDF profile
Dimensions:		650 x 650	650 x 325	60 x 12 x 2400	60 x 12 x 2400	49 x 10 x 2000
Order quantity:		Per 9 pcs = 3,803 m ²	Per 18 pcs = 3,803 m ²	Per pack (4 pcs)	Per pack (4 pcs)	Per piece
Pallet:		44 boxes = 167,332 m ²	44 boxes = 167,332 m ²			
1	Zinc 616M		60000672 60000657	63000338	63000296	63000422
2	Zinc 679M		60000673 60000658	63000339	63000297	63000423
3	Zinc 373D		60000671 60000656	63000340	63000298	63000424
4	Zinc 907D		60000674 60000659	63000341	63000299	63000425
5	Disa 101S		60000660 60000645	63000342	63000300	63000426
6	Disa 644M		60000661 60000646	63000343	63000301	63000427
7	Disa 979M		60000663 60000648	63000344	63000302	63000428
8	Disa 797M		60000662 60000647	63000345	63000303	63000429
9	Disa 996D		60000664 60000649	63000346	63000304	63000430

CLIPS - MDF SKIRTING	Order quantity	
SKIRTING CLIPS AND PLUGS	Sold per bag (30 clips/bag)	9310-0017


ALUMINIUM PROFILES	Order qty	Silver	Champ.	Bronze
REDUCER 2 m 3,5-6,5 x 38 x 2000 mm	Per piece	63000573	63000574	63000575
T-PROFILE 2 m 3,5-6,5 x 34 x 2000 mm	Per piece	63000576	63000577	63000578
END PROFILE 2 m 3,5-6,5 x 24 x 2000 mm	Per piece	63000579	63000580	63000581



Box: 15 boards = 3,338 m²
Pallet: 56 boxes = 186,928 m²
Thickness 2,30 mm
Wear layer 0,55 mm



Box: 9 boards = 3,791 m²
Pallet: 48 boxes = 181,968 m²
Thickness 2,30 mm
Wear layer 0,55 mm






Box: 9 tiles = 3,803 m²
Pallet: 44 boxes = 167,332m²
Thickness 2,30 mm
Wear layer 0,55 mm



Box: 18 tiles = 3,803 m²
Pallet: 44 boxes = 167,332m²
Thickness 2,30 mm
Wear layer 0,55 mm

PURE WOOD ORDERFORM


WOOD DECORS			GlueDown 		ACCESSORIES		
Collection:			PURE GlueDown 55	PURE GlueDown 55 XXL	60 mm skirting water-resistant	MDF 60 mm skirting	3-in-1 MDF profile
Dimensions:			1250 x 178	1950 x 216	60 x 12 x 2400	60 x 12 x 2400	49 x 10 x 2000
Order quantity:			Per 15 pcs = 3,338 m²	Per 9 pcs = 3,791 m²	Per pack (4 pcs)	Per pack (4 pcs)	Per piece
Pallet:			56 boxes =186,928 m²	48 boxes = 181,968 m²			
1	Columbian Oak 261L		60000595	-	63000353	63000311	63000437
2	Columbian Oak 296L		60000596	-	63000354	63000312	63000438
3	Columbian Oak 636M		60000597	60000633	63000355	63000313	63000439
4	Columbian Oak 946M		60000601	60000635	63000357	63000315	63000441
5	Columbian Oak 226M		60000593	-	63000546	63000543	63000550
6	Columbian Oak 236L		60000594	-	63000563	63000560	63000567
7	Columbian Oak 693M		60000599	60000634	63000358	63000316	63000442
8	Columbian Oak 939M		60000600	-	63000359	63000317	63000443
9	Columbian Oak 663D		60000598	-	63000547	63000544	63000551
10	Columbian Oak 996E		60000602	60000636	63000361	63000319	63000445
11	Toulon Oak 109S		60000614	60000641	63000362	63000320	63000446
12	Toulon Oak 619L		60000617	60000643	63000364	63000322	63000448
13	Toulon Oak 936L		60000618	60000644	63000365	63000323	63000449
14	Toulon Oak 976M		60000619	-	63000366	63000324	63000450
15	Toulon Oak 236L		60000615	-	63000367	63000325	63000451
16	Toulon Oak 293M		60000616	60000642	63000368	63000326	63000452
17	Toulon Oak 999D		60000620	-	63000370	63000328	63000454
18	Lime Oak 139S		60000603	60000637	63000371	63000329	63000455
19	Lime Oak 939S		60000607	-	63000372	63000330	63000456
20	Lime Oak 963M		60000609	60000639	63000373	63000331	63000457
21	Lime Oak 669M		60000605	-	63000375	63000333	63000459
22	Lime Oak 693M		60000606	-	63000376	63000334	63000460
23	Lime Oak 623M		60000604	-	63000564	63000561	63000568
24	Lime Oak 979M		60000612	60000640	63000377	63000335	63000461
25	Lime Oak 974D		60000611	-	63000565	63000562	63000569
26	Lime Oak 954D		60000608	60000638	63000545	63000541	63000548
27	Lime Oak 966D		60000610	-	63000379	63000337	63000463
28	Lime Oak 996D		60000613	-	63000378	63000336	63000462

PURE TECHNICAL DATASHEET



Board: 1250 x 178 mm – Box: 15 boards (= 3,338 m²) – Pallet: 56 boxes (=186,928 m²)
 Board XXL: 1950 x 216 mm – Box: 9 boards (= 3,791 m²) – Pallet: 48 boxes (= 181,968 m²)
 Tile: 650 x 650 mm – Box: 9 tiles (= 3,803 m²) – Pallet: 44 boxes (= 167,332 m²)
 Tile: 650 x 325 mm – Box: 18 tiles (= 3,803 m²) – Pallet: 44 boxes (= 167,332 m²)

EN	DE	FR	NL	GLUE 55	
PRODUCT SPECIFICATION	PRODUKT SPEZIFIKATIONEN	CARACTÉRISTIQUES DU PRODUIT	PRODUCT SPECIFICATIE		
Total thickness	Gesamtdicke	Épaisseur totale	Totale dikte	EN 428	2,30 mm
Wear layer	Nutzschicht	Couche d'usure	Slijtagelaag	EN 429	0,55 mm
Total weight	Gesamtgewicht	Poids total	Totaal gewicht	EN 430	3,04 kg / m ²
Surface treatment	Oberflächenbehandlung	Traitement de surface	Oppervlaktebehandeling		PUR
Usage classification	Nutzungsklasse	Classification	Gebruiksklasse	EN 685	23 - 33
TEST RESULTS	TESTER GEBNISSE	RÉSULTATS DES TESTS	TESTRESULTATEN		
Underfloor heating	Fußbodenheizung	Chauffage par le sol	Vloerverwarming	EN 12524	Suitable max. 27°C (80°F)
Castor chair	Stuhlrollen	Chaise à roulettes	Bureaustoelen	EN 425	Pass
Fire resistance	Feuerbeständigkeit	Indice de résistance au feu	Brandbestendigheid	EN 13501-1	Bfl - s1
Chemical resistance	Chemikalienbeständigkeit	Résistance aux produits chimiques	Chemische bestendigheid	EN 423	OK
Residual indentation	Resteindruckverhalten	Poinçonnement	Weerstand tegen indrukken	EN 433	< 0,10 mm
Sound reduction: Impact Sound	Schalldämmung: Trittschall	Réduction des bruits: bruits d'impact	Geluidsreductie: Contactgeluid	EN ISO 717-2 (Δ Lw)	6 dB
Reflected Walking Sound	Reflektierter Trittschall	Bruit réfléchi à la marche	Reflectiegeluid bij lopen	EPLF draft 021029-5 F1	** 16 sone (reduction of 79%)
Slip resistance	Rutschfestigkeit	Glissance	Slipvastheid	DIN 51130 EN 13983	R11 Class DS
Light fastness	Lichtechtheit	Résistance à la lumière	Lichtechtheid	ISO 105-B02	> 6
Antistatic	Antistatisch	Antistatique	Antistatisch	EN 1815	Yes
Residential warranty	Garantie für Nutzung im Wohnbereich	Garantie usage résidentiel	Garantie voor residentieel gebruik		Lifetime
Commercial warranty	Garantie für Nutzung im Gewerbebereich	Garantie usage commercial	Garantie voor commercieel gebruik		10 years
U-Label	U-Label	U-Label	U-Label		DIBt approval no. Z-156.603-1670



Made in Europe