

CONTENT

VALLETTA SEDA TENSEO	4 - 5
HERRINGBONE INSTALLATION PATTERNS	6 - 23
CHEVRON FLOORING INSTALLATION PATTERNS	24 - 35
CUBE INSTALLATION PATTERNS	36 - 43
PARALLEL AND LADDER INSTALLATION PATTERNS	44 - 53
INSTALLATION PATTERNS OVERVIEW	54 - 55
PRODUCT OVERVIEW	56 - 59
CARE & MAINTENANCE SEDA TENSEO	60 - 61
ACCESSORIES STAIRBOX ENDING FRIEZES SKIRTINGS	62 - 63
ROOM CLIMATE	64



THE FOREST IS OUR ORIGIN

Every tree that grows in our forests, every trunk, every piece of wood and therefore every parquet tells a story and is as individual as we are – is has its own unique fingerprint.

This individuality and uniqueness of the material means that our work is always exciting and varied. It is our passion to produce parquet flooring for your home from a naturally grown tree.

Assets like its natural origin as well as its processing to the most exacting and environmentally friendly standards make the range an outstanding quality product. A quality product that delivers what it promises – this is what we vouch for with our good reputation, our understanding of wood as a natural product and our Scheucher warranty, which guarantees the full functionality of our hardwood floors for 30 years.









HE SUPPLIES US THE WOOD, FROM WHICH YOUR PARQUET DREAMS ARE MADE OF

NATURAL & HEALTHY

Wood is a naturally grown raw material and no other material stands for such a naturalness and liveliness. These special characteristics make each of our parquet floors to one of a kind. Its warmth, vividness and cozy aura are real boons for all of your senses. Thanks to its moisture-regulating impact on the interior air, wood additionally ensures a sustainably healthy room climate.

TIMELESS & MODERN

Wooden floors always hit the taste of the time since centuries. There are hardly any limits on design possibilities and due to the cooperation with interior designers, designers and the furniture industry, our assortment is constantly adapted to the latest furnishing trends.

HYGIENIC & EASY TO CARE FOR

Germs, mites and other troublemakers don't stand a chance at parquet. Wood also has a natural antistatic effect and doesn't attract dust – this combination makes our parquet particularly long-lasting and easy to care for. Vacuuming and, if necessary, wiping up damp is absolutely sufficient for the regular cleaning.







GUARANTEED MADE OF REAL WOOD

An invaluable decision-making aid, when selecting your floor, is the quality seal "Real Wood", which is valid throughout Europe. It marks real wood and differs from all other wood-imitating floor coverings. Moreover the trademark stands for an excellent life cycle assessment of real wood. According to the Europe-wide valid standard EN 13756, parquet is defined as "wooden floor with a wear layer thickness of at least 2.5 mm before installing".

MADE FOR **GENERATIONS**

Parquet is an investment for life. We particularly recommend our SEDA parquet floors, which are treated with natural oils and waxes. The oil deeply penetrates the wood and is cured with oxygen (oxidative). For the finish we use a special natural oil, which makes your floor ready for occupancy. The surface is open-pored, breathable, warm to the feet, natural and prevents static charge. If necessary, scratches and damages can be repaired partially without any problems so your floor stays beautiful for generations to come.





MOVING STRUCTURES.

Preserved natural character. Noticeably characteristic surfaces. Experience them just as they are. Feel the differences. See the differences.

STRUCTURE

VALLETTA natural

Selected types of parquet can be obtained from Scheucher with extraordinary surface structures. This creates a tangible and visible pattern, with an incomparable feel, making the parquet floor appear three-dimensional.

VALLETTA lends parquet flooring a natural character and subtle roughness, as it is **BRUSHED**AND HAS A BEVEL.



2-SIDED AND 4-SIDED BEVEL

For all types of wood: With the product-specific 4-sided bevel surface structure, the designated parquet elements are given bevelled edges on all four sides, which allows the structure of the individual elements in the overall arrangement to stand out pleasantly. With the 2-sided bevel surface structure, the bevelled edges are only on the two longitudinal sides.





REFINED SURFACES.

SEDA

Your parquet is treated with natural oils and waxes according to century-old traditions to retain its original lustre. These floors are particularly beautiful with their silky matt surface with natural texture and intensive wood color. Open-pore surface finishes with breathable materials mean you are guaranteed a healthier interior climate and your home is enhanced by this touch of nature.



- Natural oils and waxes
- Breathable and humidity regulating
- Healthy room climate
- Impregnated depth protection
- Water and dirt resistant
- Antistatic
- Partial reparability

TENSEO

This high-quality up to 7 layers consisting sealing system ensures your wooden flooring retains its natural appearance and gives a special flair to any room. The beautifully silky sheen or matt finish gives an exclusive look to the wood while at the same time making it resistant to damage and thereby considerably extends the life of your parquet flooring.





- Silky sheen or satin gloss
- UV sealed surface
- Water and dirt resistant
- Chemical-resistant
- Environmentally friendly and easy to care for
- Higher wear class
- Suitable for sports halls







PARQUET IN ONE OF ITS MOST POPULAR VARIETIES.

HERRINGBONE Installation patterns

Parquet installed in a plaited pattern, which reminds you of the shape of fish bones, guarantees every room to appear as a highlight in an extraordinary look with impressive effects your eyes won't get enough of.

At **classic herringbone** parquet, strips are installed in a 90 °angle to each other. With the high-quality 2-layer parquet **BILA**flor as well as **MULTI**flor **700** from Scheucher, different dimensions can also be additionally installed as a double or triple herringbone pattern.

HERRINGBONE - HIGHLIGHTS

- + Timeless pattern for energy and joie de vivre
- + Gives large rooms elegance and timelessness
- + Lends rooms liveliness and make them appear visually larger
- + Harmonizes perfectly with almost every interior style
- + Almost unlimited freedom of design





















PATTERNS MAKE LIFE COLORFUL AND SUBSTANTIAL.





































EMOTIONS ARE VISUALIZED IN LIVELY PATTERNS.

CHEVRON FLOORING Installation patterns

Chevron flooring – probably the most elegant and exclusive way of installing your parquet floor is steadily gaining popularity around the world.

It is its characteristic appearance that perfectly harmonizes with almost every style of furnishing - in timeless and elegant rooms or as a masterly break in style in modern ambiences.

A range of different wood types and colors give you additional scope for design.


CHEVRON FLOORING HIGHLIGHTS

- + Classic and modern style in gentle harmony
- + Stunning installation patterns in two different dimensions
- + Gives individuality, simplicity and timelessness
- + Elegant & exclusive














A SPECTACLE OF NATURE.





























ENCHANTS FROM THE FIRST TO THE LAST SQUARE.

CUBEInstallation patterns

Our **cube pattern** strongly reminds you of a chessboard – fascinating and exiting. Despite of the eye-catching look, this way of installation has a very balanced effect on rooms and consists of squares of five equal strips, varyingly arrayed horizontally or vertically - either installed parallel or diagonally to the edge of a room.


CUBE - HIGHLIGHTS

- + Gives simplicity and objectivity
- + Strikingly effective chessboard pattern
- + Classic installation pattern
- + No specified direction, provides a special sense of tranquillity

LINEAR AND PLAYFUL AT THE SAME TIME.





















A TIDY HOUSE, A TIDY MIND.

LADDER & PARALLEL Installation patterns

The installation pattern chosen, significantly determines the visual effect of your parquet floor. A **parallel pattern** for example, stretches a room and makes it appear larger when it is installed parallel to a wall. The uniform arrangement looks modern and simple and goes well with a classic, timeless interior style. At parallel patterns, all strips are not installed irregularly but parallel at the same height.

The basis of the **ladder pattern** is the parallel pattern: a row of parallel strips alternates with a transverse single row. This way it reminds you of adjacent ladders.

PARALLEL | LADDER HIGHLIGHTS

- + Gives a straight and geometric atmosphere
- + A parallel pattern has a very modern effect
- + Ladder pattern adds spaciousness to the room
- + Offers your eyes something to explore
- + The patterns hardly ever divert from your furnishings
























HERRINGBONE

INSTALLATION PATTERNS

HERRINGBONE



DOUBLE HERRINGBONE



TRIPLE HERRINGBONE



PRODUCTS

MULTIflor 700 Tongue + Groove

BILAflor® 1000

BILAflor® 500

MULTIflor 700 Tongue + Groove


BILAflor® 1000

BILAflor® 500

MULTIflor 700 Tongue + Groove

BILAflor® 1000


BILAflor® 500



CHEVRON FLOORING

INSTALL ATION PATTERNS


CHEVRON FLOORING



PRODUCTS


MULTIflor NOVOLOC® 5G 500 60°

CHEVRON FLOORING



MULTIflor NOVOLOC® 5G 740 45°

HERRINGBONE HORIZONTALLY INSTALLED



MULTIflor NOVOLOC® 5G 500 60°


MULTIflor NOVOLOC® 5G 740 45°



CUBE

INSTALLATION PATTERNS PRODUCTS

CUBE




MULTIflor 700 Tongue + Groove

LADDER / PARALLEL

INSTALLATION PATTERNS PRODUCTS

INSTALLATION PATT.

IRREGULAR PATTERN




MULTIflor 700 Tongue + Groove

BILAflor® 1000

BILAflor® 500

BRICK PATTERN



MULTIflor 700 Tongue + Groove

BILAflor® 1000

BILAflor® 500


BRICK PATTERN



MULTIflor NOVOLOC® 5G 500 60°

MULTIflor NOVOLOC® 5G 740 45°

PARALLEL PATTERN



MULTIflor 700 Tongue + Groove

BILAflor® 1000

BILAflor® 500


PARALLEL PATTERN



MULTIflor NOVOLOC® 5G 500 60°

MULTIflor NOVOLOC® 5G 740 45°

LADDER PATTERN



MULTIflor 700 Tongue + Groove

BILAflor® 1000

BILAflor® 500

PRODUCT OVERVIEW

BILAflor® 1000

Dimensions	11 x 90 x 1000 mm
Installation	Glue-down installation
Packaging	24 nieces/nack = 2 160 m ² 42 nacks/nallet = 90 720 m ²

Suitable for underfloor heating $R_{_{\rm T}}$ =0.078 m^2 K/W

BILAflor® 500

Dimensions	11 x 70 x 500 mm
Installation	Glue-down installation
Packaging	48 pieces/pack = 1.680 m², 49 packs/pallet = 82.320 m²
Suitable for und	erfloor heating R _r =0.078 m² K/W







MULTIflor 700 TONGUE + GROOVE

Dimensions	9.8 x 140 x 700 mm
Installation	Glue-down installation
Packaging	14 pieces/pack = 1.372 m², 42 packs/pallet = 57.624 m²

Suitable for underfloor heating $R_{_{T}}$ =0.058 m^2 K/W



MULTIflor NOVOLOC® 5G 500 60°

Dimensions	9.8 x 140 x 500 mm / 60°
Installation	Glue-down installation
Packaging	14 pieces/pack = 0.980 m², 84 packs/pallet = 82.320 m²

Suitable for underfloor heating R_T =0.058 m^2K/W



MULTIflor NOVOLOC® 5G 740 45°

Dimensions	9.8 x 140 x 740 mm / 45°
Installation	Glue-down installation
Packaging	14 pieces/pack = 1.450 m², 42 packs/pallet = 60.917 m²

Suitable for underfloor heating $R_{_{T}}$ =0.058 m^{2} K/W



EDGING FRIEZES

MULTIflor NOVOLOC® 5G 2200

Dimensions	9.8 × 182 × 2200
Installation	Glue-down installation
Packaging	6 pieces/pack = 2.403 m², 50 packs/pallet = 120.150 m²

Suitable for underfloor heating $R_{_{T}}$ =0.058 m^{2} K/W

The high-quality 2-layer parquet **BILA**flor® combines all advantages of glue-down parquet with those of engineered parquet. The bottom layer made of rift-grained spruce and plywood bands on the front edges ensure a stable connection construction.



BILAflor® HIGHLIGHTS

- High-quality glue down installation on screed and on wooden composite subfloor
- + Glue down installation
- Ideally suited for underfloor heating, thermal insulation resistance: R_T = 0.078 m² K/W
- + A finished surface refinement avoids pulling down joints

MULTIflor NOVOLOC® 5G

- + Total thickness 9.8 mm: Low installation height for an excellent junction to other floor types
- + Glue down installation
- Ideally suited for underfloor heating, thermal insulation resistance: R₊ = 0.058 m² K/W

MULTIflor 700 Tongue + Groove

- + Total thickness 9.8 mm: Low installation height for an excellent junction to other floor types
- + Glue down installation
- Ideally suited for underfloor heating, thermal insulation resistance:
 R_T = 0.058 m² K/W
- New dimension and installation patterns such as large-size herringbone and cube

MULTIflor NOVOLOC® 5G

MULTIflor NOVO**LOC**® 5G is an innovative, diverse range of 2-layer parquet creations, which, alongside single planks and three-strip parquet, includes Chevron flooring, which can also be installed using NOVO**LOC**® 5G interlocking system. The true innovative power of **MULTI**flor NOVO**LOC**® 5G lies, however, in its "subsurface": thanks to its completely unique structure, an unprecedentedly low construction height can be achieved without having to compromise on the wear layer.



MULTIflor 700 Tongue + Groove



INSTALLATION

COMPATIBLE CARE.

A specially developed range of cleaning and care products enhances the natural hues of my wooden floor. These care products protect and preserve the beautiful sheen and individual character

of the wood.

THE GOLD OF THE FOREST

Our hearts beat for parquet "the gold of the forest" - as we like to call it. This is why we constantly endeavor to create innovative products with the greatest care in order to be able to off er you fist-class quality products that will give you pleasure over many decades.

To us at least of equal importance is, what's happening with our "gold" once it left our factory and is finally brought to your homes.

For that reason we were also intensively engaged in developing the perfect care and maintenance for your parquet floor once it requires an extra portion of care.









DURABLE FLO_R.

TIP: To preserve the beautiful look of your parquet floor and protect it's suface please avoid mechanical damages whereever possible. To avoid scratches and serious damages it is recommended to place mats in the entrance area and remove sand and grit with a broom immediately. Equip your movable furniture with felt gliders and use special rolls for wooden floors on off ice chairs. Do not leave any wet items on your parquet floor. To assess results properly, try out care and/or cleaning procedures in an inconspicuous place before applying the product.

CARE & MAINTENANCE

TENSEO





BONA SPRAY MOP

The Bona Spray Mop enables you to clean and maintain your wooden floor in a sweep. Ergonomic and simple to use, the Spray Mop is quick to assemble and refill with the specially developed Bona floor cleaner cartridge. Forget filling up a bucket and adding concentrate - just spray and clean! No polishing required.



BONA POLISH MATT for care and current cleaning for Tenseo Matt.



CARE & MAINTENANCE SEDA



CAREboy

Multifunctional, cordless waxer and cleaner for comfortable and efficient cleaning and care of your oiled/waxed flooring.

CAREboy HIGHLIGHTS

- + Easy and innovative cleaning & care
- + Cordless battery mode
- + Dual drive
- + Minimum water consumption
- + Easier access to corners and hard-to-reach areas
- + Buildt-in LED lighting for dark areas
- + Low-noise
- + Specially designed nozzle, spraying at the touch of a button
- + Controlled spraying quantity
- + Protects your floor from over-wet













ACCESSORIES

The whole range is available for every desired staircase and ensures a harmonious overall view in your home.

STAIRbox

STAIRbox is a system, that simply enables the digital measurement of stairs and staircases as well as – in addition – the direct purchase of parquet elements ready for assembly from Scheucher.

This is how the service spectrum of every floorer experiences a great expansion and customers get their floor and stairs from professional hands.

STAIR TREADS


ALL WOOD TYPES

STAIRbox makes it possible to create all types of stair treads quickly and easily – irrespective of the basic form or configuration – with the same appearance as the parquet.

FASCIA BOARDS

ALL WOOD TYPES
WHITE FINISHING COAT
WHITE-PAINTED MDF

What is more, fascia boards that are identical to the installed parquet and blend harmoniously into the overall view are no longer a problem, thanks to **STAIR**box.



EDGING FRIEZES


MULTIflor NOVO**LOC®** 5G **2200** | 9.8 x 182 x 2200 mm 6 pieces/pack = 2.403 m², 50 packs/pallet = 120.150 m²





SKIRTINGS

For the full effect, every parquet floor needs a clean connection to the walls or similar structures. For this purpose, Scheucher stocks a wide, perfectly-fitting range of skirting boards that can be harmoniously tailored to the parquet installed.




STAIR NOSINGS

L-SHAPE NOVOLOC®



U-SHAPE NOVOLOC®






Stair nosings are available in L- or U-shape for all our products.

ROOM CLIMATE

This "feel comfortable" chart for indoor room climate demonstrates the combination of relative humidity and room temperature where the overwhelming majority feels comfortable in indoor rooms.



EN 15251:2012 "Input parameters for indoor climate" recommends a seasonally caused relative humidity of approx. 30 % to 65 % for a healthy room climate. In this range, natural characteristics of wood like gaps, minor cracks or warpage of your parquet floor may occur in a moderate degree.

In case of long-term deviations, health impairments or excessive changes in the appearance of your hardwood floor, like big deformations, big gaps and cracks may occur. Wood as a natural material reacts more sensitively to changes of the relative humidity than to changes of temperature.

Therefore the key to success lies in the observance of an optimum relative humidity of your indoor air!

This generally requires periodic cleaning and maintenance of your parquet floor as well as an appropriate air humidification in the heating season. We therefor recommend cold humidifiers with an integrated sterilization system. The installation of Fidbox records your climate above and under your parquet floor over many years and can be conveniently monitored by mobile app. Paying attention to these important factors will guarantee pleasure over decades with your high-quality parquet floor from Scheucher.

GUARANTEED FIRST CLASS QUALITY

Each Scheucher parquet floor has a story to tell - of its natural origins and about its processing to the most exacting and environmentally friendly standards; assets which make Scheucher parquet an outstanding quality product. A quality product that delivers what it promises - this is what we vouch for with our good reputation, our understanding of wood as a natural product and our Scheucher warranty. Moreover all of our products are subject to an ongoing internal and external quality monitoring process.



RealWood is the official seal of the European Parquet Association confirming the parquet is made from real wood and is no artificial replication.



CE-label confirms compliancy with European Standards and is obligatory when selling this product.



PEFC-certified wood comes from controlled sources of sustainably managed forests.



Das Zeichen für verantwortungsvolle Waldwirtschaft FSC® certified wood comes from controlled sources which fulfill the worldwide consistent principles of FSC®. Main goal is sustainable forestry in the world. Upon your request, we individually inform you about the availability of FSC® certified wood | parquet floors | wood types at any time.



The Scheucher warranty guarantees full functionality of your hardwood floor for 30 years. The current terms of warranty apply.



Scheucher parquet floors fulfill the award criteria V1.0 of TÜV PROFi-CERT-product Interior Certification.





Scheucher supports sustainable construction via Environmental Product Declarations (EPDs). Our EPD is based on international standards (ISO 14025, ISO 14040ff) as well as the European DIN EN 15804, which provides the basis for EPD's throughout Europe. It is listed for the sustainability assessment of buildings at IBU - Institut Bauen und Umwelt e.V. Furthermore we meet the high demands of the American LEED v4 program. LEED (Leadership in Energy and Environmental Design) is globally recognized and the most widely used green building rating system in the world.

Environmental Product Declarations give the appropriate data basis to represent environmental attributes of a product for its whole lifecycle and include general product, life cycle assessment- and additional information. Moreover, they are compiled on a basis of criteria, which among others are developed by independent third parties and which are additionally verified independently.





Scheucher Holzindustrie GmbH

Zehensdorf 100 | 8092 Mettersdorf

Branch Vienna

Zetschegasse 9 | 1230 Vienna

info@scheucherparkett.at www.scheucherparkett.at